# BASIC CARE DAYTIME SEVERE COLD NIGHTTIME COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride, diphenhydramine hydrochloride

#### L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Amazon Day Time Severe Cold Night Time Cold & Flu Drug Facts

#### Active ingredients (in each caplet) - DAY TIME Severe Cold

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

#### Active ingredients (in each caplet) – NIGHT TIME Cold & Flu

Acetaminophen 325 mg

Diphenhydramine HCl 25 mg

Phenylephrine HCl 5 mg

#### **Purposes - DAY TIME Severe Cold**

Pain reliever/fever reducer

Cough suppressant

Expectorant

Nasal decongestant

#### Purposes - NIGHT TIME Cold & Flu

Pain reliever/fever reducer

Antihistamine

Nasal decongestant

#### Uses

- temporarily relieves these common cold and flu symptoms:
- nasal congestion
- cough (DAY TIME Severe Cold only)
- minor aches and pains
- headache
- sore throat
- runny nose and sneezing (NIGHT TIME Cold & Flu only)
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of

bothersome mucus and make coughs more productive (DAY TIME Severe Cold only)

temporarily reduces fever

#### Warnings

Liver warning: These products contain acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using these products

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin (NIGHT TIME Cold & Flu only)
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking these products.
- if you have ever had an allergic reaction to these products or any of their ingredients

#### Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma (NIGHT TIME Cold & Flu only)
- a breathing problem such as emphysema or chronic bronchitis (NIGHT TIME Cold & Flu only)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema (DAY TIME Severe Cold only)
- cough that occurs with too much phlegm (mucus) (DAY TIME Severe Cold only)

#### Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers (NIGHT TIME Cold & Flu only)

#### When using these products

- do not use more than directed
- excitability may occur, especially in children (NIGHT TIME Cold & Flu only)
- marked drowsiness may occur (NIGHT TIME Cold & Flu only)
- alcohol, sedatives, and tranquilizers may increase drowsiness (NIGHT TIME Cold & Flu only)
- avoid alcoholic drinks (NIGHT TIME Cold & Flu only)
- be careful when driving a motor vehicle or operating machinery (NIGHT TIME Cold & Flu only)

#### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition. (DAY TIME Severe Cold only)

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 10 caplets in any 24-hour period
- adults and children 12 years of age and older: take 2 caplets every 4 hours
- children under 12 years of age: do not use

#### Other information

- **each caplet contains:** sodium 4 mg (DAY TIME Severe Cold only)
- store at 20-25°C (68-77°F)

#### **Inactive ingredients - DAY TIME Severe Cold**

croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake,

maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, silicon dioxide, stearic acid, talc, titanium dioxide

#### Inactive ingredients - NIGHT TIME Cold & Flu

crospovidone, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, silicon dioxide, stearic acid, talc, titanium dioxide

#### Questions or comments?

1-800-719-9260

#### Package/Label Principal Display Panel

Compare to Mucinex<sup>®</sup> Fast-Max<sup>®</sup> Day Time & Night Time active ingredients

Maximum Strength

For Ages 12+

daytime severe cold

Acetaminophen

Dextromethorphan HBr

Guaifenesin

Phenylephrine HCl

Pain Reliever

Fever Reducer

**Cough Suppressant** 

Expectorant

Nasal Decongestant

Relieves Aches, Fever & Sore Throat

Controls Cough

Relieves Nasal & Chest Congestion

Thins & Loosens Mucus

actual size

20 CAPLETS

For Ages 12+

night time cold & flu

Acetaminophen

Diphenhydramine HCl


Phenylephrine HCl

Pain Reliever

Fever Reducer

Antihistamine
Nasal Decongestant
Relieves Aches, Fever & Sore Throat
Relieves Nasal Congestion
Relieves Runny Nose & Sneezing
actual size

10 CAPLETS



### Maximum Strength\*\*

NDC 0113-7951-81

For Ages 12+

## daytime severe cold

#### Acetaminophen

Dextromethorphan HBr Guaifenesin Phenylephrine HCI

Pain Reliever Fever Reducer Cough Suppressant Expectorant Nasal Decongestant

Relieves Aches, Fever & Sore Throat Controls Cough Relieves Nasal &

Chest Congestion
Thins & Loosens Mucus



actual size

20 CAPLETS

For Ages 12+

### night time cold & flu

Acetaminophen
Diphenhydramine HCI
Phenylephrine HCI

Pain Reliever Fever Reducer Antihistamine Nasal Decongestant

Relieves Aches, Fever & Sore Throat Relieves Nasal Congestion Relieves Runny Nose & Sneezing




actual size

10 CAPLETS

8 95161 AN SF1





#### Drug Facts (continued)

Brug rates (committed)

Brug rates (data fit in Brug revues committed)

Brug rates (data fit in Brug rates)

Bru eadache that lasts. These could be signs of a serious condition. (DAY TIME

Severe to hardway:

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get
medical help or contact a Poison Control Center right away (1-800-222-1222).

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

On TOU House any age.

Directions

If on not take more than directed (see Overdose warning)

If on not take more than 10 captes in any 24-hour period

If on the take more than 10 captes in any 24-hour period

If adults and children 12 years of ages and other take 2 captes every 4 hours

If other information

Other i

Inactive ingredients (DAY TIME Severe Cold) croscarmellose sodium crospovidore, FD&C bas #2 aluminum lake, FD&C red #40 aluminum lake, matucatrin, microcrystalline sellutes, polytidiyelere glycol, polyvinyi el colon, povidore, pregelatinizad starch, elicon dioxide, steeric acid, tale, titanium dioxid portuone, pregraamitas a saitar, structio usuotes, sesen aarte, aarte uniternative in gradients (MIGHTTIME Cold & FIU) crospovidone, FB&C blue #1 aluminum lake, magnesium stearate, misroorystalline oeilukse, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, ellicon dioxide, stearic acid, talc, tharium dioxide

Questions or comments? 1-800-719-9260

#### BASIC CARE DAYTIME SEVERE COLD NIGHTTIME COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride, diphenhydramine hydrochloride kit

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0113-7951

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-7951-81	1 in 1 KIT: Type 0: Not a Combination Product	01/24/2019	

#### **Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	10 BLISTER PACK	20
Part 2	5 BLISTER PACK	10

#### Part 1 of 2

#### BASIC CARE DAY TIME SEVERE COLD

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride tablet, film coated

#### **Product Information**

**Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg	
<b>DEXTRO METHO RPHAN HYDRO BRO MIDE</b> (UNII: 9 D2RTI9 KYH) (DEXTRO METHO RPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
<b>PHENYLEPHRINE HYDRO CHLO RIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
CROSPO VIDO NE (15 MPA.S AT 5%) (UNII: 68401960 MK)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

Product Characteristics					
Color	RED	Score	no score		
Shape	OVAL	Size	20 mm		
Flavor		Imprint Code	L922		
Contains					

Packaging						
# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date			
1	10 in 1 CARTON					
1	2 in 1 BLISTER PACK; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part341				

### Part 2 of 2

### BASIC CARE NIGHT TIME COLD AND FLU

acetaminophen, diphenhydramine hydrochloride, phenylephrine hydrochloride tablet, film coated

#### **Product Information**

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg		
<b>DIPHENHYDRAMINE HYDRO CHLO RIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg		
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients	
Ingredient Name	Strength
CROSPO VIDO NE (15 MPA.S AT 5%) (UNII: 68401960 MK)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

Product Characteristics					
Color	BLUE	Score	no score		
Shape	OVAL	Size	16 mm		
Flavor		Imprint Code			
Contains					

l	Packaging					
	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date		
ı	1	5 in 1 CARTON				
	1	2 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part341				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	0 1/24/20 19	

### Labeler - L. Perrigo Company (006013346)

Revised: 11/2020 L. Perrigo Company